//-2/- OT *PROCESS FOR RECORDING A SCRAMBLED MPEG STREAM

11/)c867
20	G C
00	S S
100 100	P T C

Please type a plus sign (+) inside this box

Lunder the Paperwork Reduction Act of 1995, no persons are required to respond to a

Approved for use through 09/30/2000. OMB 05 1-003 Patent and Trademark Office: U.S. DEPARTMENT OF COMMERC to a collection of information unless it displays a valid OMB control number.							
y Docket No.	PF9900	77					
entor or Appl	ication Identifier	P.	Leyendecker	1			

UTILITY
PATENT APPLICATION
TRANSMITTAL
Only for new nonprovisional applications under 37 C.F.A. § 1.53(b)

Attorney Docket No. PF990077

First Inventor or Application Identifier P. Leyendecker

Title See *Above

Express Mail Label No. EL533621862US

		ION ELEMENTS		ADD	RESS TO:	Assistant Com	missioner for Patents dication	-	
		ncerning utility patent		<u></u>		Washington, D	C_20231	-	
1. X Fe	ee Transm	nittal Form (e.g., P ninal and a duplicate fo	TO/SB/17)	5.	Microfiche C	omputer Progra	am (Appendix)	1	
			Total Pages 161				quence Submission	1	
	ecification eferred arrai	ا ngement set forth belo		(if ap	plicable, all n	• • •	_	l	
		title of the Inventior		a.	Com	puter Readable	Copy	1	
		rences to Related A		b.	Pape	er Copy (identic	al to computer copy)	1	
		Regarding Fed spor		c.	State	noivinav tname	identity of above copies	ł	
		o Microfiche Appen	GIX			<u>-</u>		\dashv	
_	•	of the Invention					ICATION PARTS	\dashv	
		ary of the Invention ption of the Drawing		7. _X	Assignment	Papers (cover	sheet & document(s))	ı	
	etailed De		go (oo)	8.	37 C.F.R.§3.73(b) Statement Power of				
	laim(s)	.co.ipuoi.			1	is an assignee		- 1	
		the Disclosure		9	1		ent (if applicable)		
			otal Sheets 2	10. 💥	Information Statement (Disclosure IDS)/PTO-1449	Copies of IDS		
4. Oath or D	Declaration	n [Total Pages 1	11.	, .	Amendment		- 1	
a. [X Newi	y executed (origina	l or copy)	12. X		eipt Postcard () specifically iten		- [
l ь. Г	Copy	from a prior applic	ation (37 C.F.R. § 1.6 with Box 16 completed)		, Small Enti	ty Con State	ment filed in prior applicat	ion,	
L		DELETION OF IN		13.	Statement(s		s still proper and desired	1	
	i	Signed stateme	nt attached deleting	14. _Y	Certified Co	py of Priority D			
1			d in the prior applicati	on, 🖴	3 ' ' '	riority is claime	a)	1	
GUATE FOR	TENCTA 13		1.63(d)(2) and 1.33(t)		Other:		# 04044200 ###############################		
FFFS A SMA	LL ENTITY S	TATEMENT IS REQUIRE	ED (37 C.F.R. § 1.27), EXCE ED UPON (37 C.F.R. § 1.28)	P7 Q &			***************************************		
					uisite informati	on below and in a	preliminary amendment:		
	ontinuation	Divisional	Continuation-in-pa		of prior applicat				
Prior application information: Examiner Group / Art Unit: For CONTINUATION or DIVISIONAL APPS only: The entire disclosure of the prior application, from which an oath or declaration is supplied									
		in-and a mast at the st	eclasure of the eccomi	っちんいいの こうりだけし	istion of divisi	onai abblication	SUG IZ LIGIADA EICOI DOLGIAN	by	
reference. T	he incorpo	ration <u>can only</u> be re	lied upon when a porti	on has been in:	dvertently om	itted from the s	ubmitted application parts.		
		, , , , , , , , , , , , , , , , , , ,	17. CORRESPON	DENCE ADI	DRESS				
					l	or 🔲 Com	espondence address below	i	
Custon	ner Number	r or Bar Code Label	(Insert Customer No. or	Attach bar code	label here)	0, 00,,,	popolitorino dadi asa asian		
	Josep	nh S. Tripo							
Name	Name Joseph S. Tripoli Thomson Multimedia Licensing Inc.								
	Patent Operation								
Address	 	Independence		Box 5312					
City	Prin	ceton	State	N.	J	Zip Code	08543-5312		
Country	USA		Telephone	609/7	3 4- 9839	Fax	609/734-9700		
	(Print/Type)	Harvey	D/Fled	Re	gistration No. (Attorney/Agent)	28,298]	
		1/9/11/11	1//1/11/10	1		Date	20 HOU 2000]	
Signatu	IT O	/ VIARA BLA					1700 0000	•	

Burden Hour Statement: This form is estimated to take 0.2 hours to complete. Time will vary depending upon the needs of the individual case. Any comments on the amount of time you are required to complete this form should be sent to the Chief Information Officer, Patent and Trademark Office, Washington, DC 20231. DO NOT SEND FEES OR COMPLETED FORMS TO THIS ADDRESS. SEND TO: Assistant Commissioner for Patents, Box Patent Application, Washington, DC 20231.

+

Patent and Trademark Office U.S. DEPARTMENT OF COMMERCE

the Paperwork Reduction Act of 1995, no persons are required to respond to a collection of information unless it displays a valid CM8 control number FEE TRANSMITTA Complete if Known Application Number for FY 2000 Fring Date <u>Herewith</u> Patent fees are subject to annual revision Philippe Leyendecker First Named Inventor Small Entity payments must be supported by a small entity statement otherwise arge entity fees must be baid. See Forms PTO/SB/09-12 Examiner Name See 37 0 F R §§ 1 27 and 1 28 Group / Art Unit TOTAL AMOUNT OF PAYMENT (\$) 1230.00 Attorney Docket No PF990077 METHOD OF PAYMENT (check one FEE CALCULATION (continued) The Commissioner is hereby authorized to charge 3. ADDITIONAL FEES indicated fees and credit any overpayments to Large Entity Small Entity Fee Fee Fee Fee Deposit Fee Description Fee Paid Code (\$) Code (\$) 07-0832 Number 105 130 205 65 Surcharge - late filing fee or oath Surcharge - late provisional filing fee or 227 127 50 25 cover sheet THOMSON multimedia Account Name Licensing Inc. 139 130 139 130 Non-English specification Charge Any Additional Fee Required
Under 37 CFR §§ 1 16 and 1 17 147 2,520 147 2,520 For filing a request for reexamination 112 920* 112 920* Requesting publication of SIR prior to Examiner action Payment Enclosed: Money Order 113 1 840° 113 1,840° Requesting publication of SiR after Check Other Examiner action Extension for reply within first month FEE CALCULATION 115 110 215 55 Extension for reply within second month 116 380 216 190 1. BASIC FILING FEE Extension for reply within third month 117 870 217 435 Large Entity Small Entity Fee Fee Fee Description 118 1.360 218 680 Extension for reply within fourth month Code (\$) Code (\$) Fee Paid 128 1,850 228 925 Extension for reply within fifth month 101 690 201 345 Utility filing fee 710 Notice of Appeal 119 300 219 150 106 310 206 155 Design filing fee Filing a brief in support of an appeal 120 300 220 107 480 207 240 Plant filing fee Request for oral hearing 121 260 221 130 208 345 108 690 Reissue filing fee Petition to institute a public use proceeding 138 1,510 138 1,510 114 150 75 Provisional filing fee 214 Petition to revive - unavoidable 140 110 240 55 SUBTOTAL (1) (\$) 710.00 Petition to revive - unintentional 141 1,210 241 605 2. EXTRA CLAIM FEES Utility issue fee (or reissue) 142 1,210 242 605 Fee from 143 430 243 215 Design issue fee below Fee Paid Extra Claims Plant issue fee 144 580 244 290 Total Claims ·20° Independent 9 80 480 122 130 122 130 Petitions to the Commissioner Multiple Dependent 123 50 123 50 Petitions related to provisional applications or number previously paid, if greater, For Reissues, see below 126 240 126 240 Submission of Information Disclosure Stmt Large Entity Small Entity 581 40 581 40 Fee Fee Code (\$) Fee Fee Fee Description Recording each patent assignment per property (times number of properties) 40.00 103 18 203 148 690 248 345 9 Claims in excess of 20 Filing a submission after final rejection (37 CFR § 1.129(a)) 102 78 202 39 Independent claims in excess of 3 For each additional invention to be examined (37 CFR § 1 129(b)) 149 690 249 345 104 260 204 130 Multiple dependent claim, if not paid 109 ** Reissue independent claims 78 209 39 over original patent Other fee (specify) 110 18 210 9 ** Reissue claims in excess of 20 Other fee (specify) and over original patent 40.00 (\$) SUBTOTAL (2) (\$) SUBTOTAL (3) Reduced by Basic Filing Fee Paid 480.00 SUBMITTED BY Complete (if applic Registration No. Name (Pnnt/Type Telephone Har D Æđ 28,298 609/734-9839 (Attorney/Agent) Signature Date 20 NOU ZODO

Information on this form may become public. Credit card information should not be included on this form. Provide credit card information and authorization on PTO-2038.

WARNING:

Burden Hour Statement: This form is estimated to take 0.2 hours to complete. Time will vary depending upon the needs of the individual case. Any comments on the amount of time you are required to complete this form should be sent to the Chief Information Officer, Patent and Trademark Office, Washington DC 20231 DO NOT SEND FEES OR COMPLETED FORMS TO THIS ADDRESS. SEND TO: Assistant Commissioner for Patents, Washington, DC 20231

25

30

Process for recording a scrambled MPEG stream

Field of the invention

The invention relates to a process for recording on a recording medium, for example a hard disk, scrambled audio video digital data stream, for example an MPEG type stream.

Background of the invention

The storage of data in scrambled form is currently developing rapidly. For example, the audio digital data transmitted in compressed and scrambled form are generally recorded in this form so as control access to these data. They are therefore 15 descrambled only when the corresponding images are viewed. Another example relates to the 1394 digital bus, solutions envisaged within the framework of the exploitation of this digital bus being the transmission of digital data in scrambled form and hence their 20 storage in this form.

A problem connected with this recording of digital video data streams in scrambled form relates to the exploitation of particular modes of reading or special modes referred to hereinafter as the "trick mode", using the terminology of the MPEG standard, this term encompassing among other things the following functions: fast forward, fast rewind, slow motion, accelerated motion, freeze frame. These functions actually require access and fast decoding of these recorded data, conditions which are difficult to make compatible with recording in scrambled mode.

Summary of the invention

The aim of the invention is to alleviate the 35 aforesaid drawbacks.

Its subject is a process for recording, recording medium, а scrambled MPEG stream, characterized in that the scrambled data of the stream are, in parallel with their recording, descrambled so

the second control of the second of the seco

as to extract therefrom additional data corresponding to information required by at least one function of the special mode or "trick mode" (fast forward, fast rewind, accelerated motion, slow motion, etc.) and in that these additional data are also recorded on the recording medium.

The additional data are for example the pointers and the size of images.

The subject of the invention is also a recording medium, characterized in that it contains the data of a scrambled MPEG stream as well as additional data relating to the video data of the stream for the operation of the special mode or "trick mode".

The subject of the invention is also an MPEG audio video digital data stream, characterized in that the video data packets are scrambled with the exception of the packets containing a start of image.

The subject of the invention is also an MPEG audio video digital data stream, characterized in that it includes additional data allowing the extraction of the information required by at least one function of the "trick mode" and in that the said additional data are transported in the adaptation field (to use the MPEG terminology) of the stream.

The subject of the invention is also a process for coding a video data stream, characterized in that 30 it comprises:

- coding of the data according to the MPEG standard so as to deliver a transport stream in the form of data packets,
- scrambling of the data packets which do not include a start of image, the other packets not being scrambled.

The subject of the invention is also a process for recording on a recording medium, a scrambled MPEG

35

stream, characterized in that the additional data relating to the enciphering keys are, in parallel with the recording of the stream, extracted from the stream so as also to be recorded on the recording medium.

5

According to one variant, the process is characterized in that the additional data relating to the keys are the pointers of the packets in which the keys are to be found and pointers of packets to which these keys are applied.

According to another variant, the process is characterized in that the additional data relating to the keys are also the deciphered keys.

15

10

The subject of the invention is also a recording medium, characterized in that it contains the data of a scrambled MPEG stream as well as additional data relating to the enciphering keys.

20

By virtue of the invention, the information required by the special modes are directly exploitable without it being necessary to descramble the recorded data in order to retrieve or calculate this information, thus allowing a fast response to the commands of the operator.

The main advantage of the invention is that it allows the use of the trick mode when reading audio video data recorded in scrambled form.

30

35

25

Brief description of the drawings

Other characteristics and advantages of the invention will become apparent on reading the following description, given by way of example and with reference to the figures which represent:

- figure 1, a flowchart defining the steps of the process for recording additional data,

10

15

20

30

35

- figure 2, a flowchart defining the steps of the process for recording data relating to the enciphering keys.

Detailed description of the preferred embodiments
The scrambled audio video data stream is for
example the transport stream (TS) as defined in the
MPEG standard. The scrambling of the stream or of a
packet relates to the useful data (or "payload") and
not to the packet headers. This stream is therefore
received by the recording device in scrambled form.

The process implemented by this device is shown schematically by the flowchart of Figure 1.

A first step 1 consists in filtering the stream received on the basis of the programme choice made, in the case where one wishes to record a single programme. This filtering is performed on the PID (Packet header Identification).

The partial stream obtained, corresponding to the selected programme, is processed in parallel in step 2, step 3 and step 6.

It is thus transmitted directly to a storage unit or recording medium for recording, step 6.

It is also transmitted to a keys extraction circuit for extracting the data (sections) allowing the descrambling of the packets, step 2. This step 2 carries out the extraction, from the scrambled stream, of the keys, possibly encrypted, together in this case with their decryption.

Step 3 extracts, from the partial stream, the packets containing the video information for descrambling by a descrambling circuit. The keys required for this descrambling originate from step 2.

This descrambling obviously requires that the conditional access control system should temporarily allow, during this data recording phase, which must be distinguished from the phase of viewing these video data, descrambling of the stream received, that is to say should require the conditional access information

∃ = -

10

15

20

25

30

35

to be available. It is this information which allows the decrypting of the video data, in step 3, on the basis of the keys extracted during step 2 and also, as appropriate, the decrypting of the keys in step 2.

From these descrambled video data are extracted, during the next step 4, the information, referred to as ancillary data or additional data, required for the operation of the "trick mode". This information may, among other things, be the size of the images, the pointers defining the image starts, the image types, etc.

These data are organized so as to construct, during step 5, a file accompanying the audio video file consisting of the recorded scrambled data relating to the partial stream. The next step 6 consists in recording this accompanying file on the medium. It may also involve the construction of a succession of files, the data relating to the "trick mode" then being recorded in tandem with the recording of the scrambled data.

During this step 6, the scrambled data corresponding to the partial stream originating from step 1 are also recorded.

Thus, the data of the audio video file and the data of the accompanying file are stored on the recording medium.

There should be a time correspondence between the ancillary or additional data of the recorded files recorded scrambled data. the The additional data are for example indexed to the corresponding data of the audio video file.

It is of course also conceivable, without departing from the field of the invention, to record the entire MPEG stream and not just the demultiplexed stream, that is to say the partial stream. It is also possible to choose certain programmes and to record these chosen programmes only. It may also happen that in one and the same programme there are several video streams (PIDs) corresponding for example to several

The second distribution of the second distributi

ment of the Heldingham of the Hilling of the control of the contro

angles of view. The method is then applied, independently, to each of these video streams which are recorded. One can have an accompanying file for each video stream.

Preferably, the descrambling circuits are integrated into the circuits catering for the extraction of the data relating to the trick mode so as to prevent any access to the descrambled audio video stream.

10

15

20

25

30

5

Variants of the invention consist in creating an MPEG stream containing the information relating to the "trick mode" or additional data in unscrambled form and the other data in scrambled form.

For example, solely the packets containing the information useful for the "trick mode" are not scrambled. This information may then be recognized and extracted easily with the aid of a handler, without it being necessary to descramble the stream. This involves for example packets which include an image start and provide the image type, etc. Thus, steps 2 and 3 consisting in extracting the keys and in descrambling so as to obtain the additional data are no longer required, these additional data, such as image start, image type, etc., being obtained from the unscrambled packets of the data stream.

another example, one or more belonging for example to the "Adaptation Field" of a video packet, in the transport stream, and grouping together private data are what are exploited transport the data useful to the trick mode. Step 4 extracts the "trick mode" information directly from the "Adaptation Field".

Steps 2 and 3 corresponding to the extraction of the keys and to the descrambling of the video data are, here again, no longer useful. It is in fact no longer necessary to descramble the data stream in order to extract the information useful to the trick mode and

hence to get access privileges for descrambling, when storing the data on the recording medium.

However, these variants necessitate intervention at the level of the data stream coding chain and hence generate a constraint at the level of the broadcaster, but make it possible to circumvent the access control and security problems related to temporary descrambling.

10

15

20

25

30

35

The use of the "trick mode" requires, in addition to the useful information stored in the accompanying file, information on the keys to be used for each packet in order to be able to carry out the descrambling.

This is because, when accessing any point of an image sequence, the descrambling of the images to be viewed during the trick mode requires the reading, and possibly the deciphering, of the corresponding enciphering key. The keys are available, in the stream, $100 \, \mathrm{ms}$ roughly every in а manner which is respect desynchronized with to the images and sufficiently in advance as to be able to perform the descrambling in real time. The deciphered keys must in fact be available when the corresponding scrambled data are read.

Whereas this availability poses no problem in conventional read mode, matters are otherwise when exploiting the "trick mode". This is because, in this case, the data relating to the keys and provided in advance in the stream are not read on account of the ad hoc access to the images useful to the trick mode and are therefore not available in advance.

One solution consists in "putting back" the data stream sufficiently, with respect to the point of access, for example by half a second, as to be able to extract and decode the enciphering keys before reading the data to be deciphered. The read pointer or read head of the storage medium is positioned a few hundred

15

20

25

30

35

milliseconds before the point of access to the image which one wishes to decode and whose position one knows by virtue of the pointer extracted from the accompanying file. This solution entails a lag in response and requires that non-useful data be read, possibly giving rise to errors.

The process which is proposed here and which can be exploited independently or in combination with the process described earlier, consists in performing specific operations on the keys so as to ease the descrambling of the data during the "trick mode".

Figure 2 represents the various steps of the process implemented. Steps 1, 3, 4 and 5 are similar to those described earlier and the same numbering is employed. A new step 7 replaces step 2, performing operations complementary to those of step 2 dependent on the solution adopted, as indicated hereinbelow. This step 7 is followed by a new step 8 which creates one or more files in which the information originating from step 7 is stored. Finally, the data from these files are transmitted to the recording medium so as to be stored there during step 6.

A first solution consists in tagging the position of the packets in the stream containing the encrypted keys, in storing the pointers corresponding to these packets as well as the pointers indicating the portion of the stream to which these keys are applied. Step 7 as a supplement therefore to the extracting of the keys transmitted in step 3 for the descrambling of the video data, extracts the pointers or indices so as to transmit them in step 8 in order to be stored in an accompanying file, the file then being recorded on the recording medium in step 6.

Thus, during the operation of a special mode, the accompanying file provides the position of the packets containing the keys applied to the portion of stream to be read. These packets are read and the keys extracted for the deciphering of the portion of stream to be read.

STREET IN SOME

on the same of the second between the second of the second

15

20

25

30

35

ill in inner alla dille Mildera ereses odde albertadiandhan namedabanan banda kalendan

A second solution consists in transmitting the encrypted keys extracted during step 7, not only in step 3 for the descrambling of the video data but also in step 8 for their storage in an accompanying file. As before, the process also consists, during step 7, in tagging the position of the packets in the stream containing the encrypted keys, in storing the pointers corresponding to these packets as well as the pointers indicating that portion of the stream to which these keys are applied. These pointers or indices are then extracted so as to be transmitted in step 8. This step stores the keys as well as the pointers or indices. The accompanying file comprises, in this enciphering keys and it is then not necessary to fetch them from the recorded stream.

A third solution consists, during this step 7, in addition to the previous operations, in decrypting the keys. These keys are transmitted to the access control device which decrypts them. The decrypted keys as well as the pointers or indices are stored in a file, this file is recorded on the recording medium during step 6, in the form of an accompanying file with a view to the use of its content to descramble the audio and/or video data relating to these keys.

Of course, all these data may be recorded in separate accompanying files.

There should always be a time correspondence between the data of this (these) recorded file(s) and the recorded scrambled data. The recorded data are for example indexed to the corresponding data of the audio video file.

The invention applies to any type of recording medium, for example a hard disk or a DVD (the acronym standing for Digital Versatile Disk).

Variant embodiments are proposed hereinbelow.

10

20

25

30

35

Regarding the extracting of the keys which is performed in step 7, a fourth solution consists, during this step 7, in addition to the previous operations, in decrypting the keys and in then re-encrypting them according to another algorithm. These keys transmitted to the access control device which decrypts The decrypted keys are then transmitted another enciphering device. The re-encrypted keys as well as the pointers or indices are stored in a file, this file is recorded on the recording medium during step 6, in the form of an accompanying file with a view to the use of its content to descramble the audio and/or video data relating to these keys.

Regarding the pointers recorded in step 8, indicating that portion of the stream to which the keys are applied, a precise value of these pointers, that is to say which corresponds to the stream portion relevant to the key, is not necessary.

In general the encrypted keys are sent in pairs, applying to two contiguous portions of stream; moreover, the two decrypted keys are available to the demultiplexer at any time, so as to ensure correct transition between the two portions of stream. One way of indexing the stream is therefore to store the keys in pairs and to associate therewith a pair of pointers corresponding to the start and to the end of a stream segment to which each of the two keys is applied in succession. These pointers may for example be generated when the pairs of decrypted keys are received from the access control system (the "smart card" or chip card).

It may in fact be noted that the start of a stream portion to which a key is applied is characterized, in an MPEG stream, by a change of value of the "transport_scrambling_control" field in the header of a packet. It is the detecting of this change which will decide on the application of the new key from the pair of keys. It is therefore sufficient to link a pair of keys to a pointer designating a packet

15

20

25

30

35

in respect of which the first key is applied, and to store this pointer given that, in the stream, the next change of this field, in the header, will indicate that the new key must be applied. This pointer can be that corresponding to the instant of descrambling of a new pair of keys.

It will be noted that the stream portion to which a key is applied does not necessarily comprise all the packets included between the pointers; the packets relating to a key are identified by the PIDs.

Of course, the process which consists in storing, on a recording medium, data of the scrambled MPEG stream and data of an ancillary file which includes data specific to the operation of the trick mode so as to exploit the data of the MPEG stream relates equally well to the writing of data to a medium as to the reading of these data.

The invention also relates to the process for decoding a scrambled MPEG stream recorded on a recording medium, including the reading, from the recording medium, of scrambled data of the MPEG stream and of additional data other than these scrambled data and relating to the enciphering keys used for the scrambling, and the descrambling of the MPEG stream data read on the basis of these additional data read.

It also relates to the process for implementing special mode or "trick mode" function forward, fast rewind, accelerated motion, slow motion, etc.) on the basis of the reading of data stored on a recording medium which consists in reading additional data from the recording medium which includes information required by the special mode and in then reading the data of the medium as a function of these additional data. These data are, for example, pointers to the start of images and to the types of images.

These two processes can be combined if the data stored are scrambled data. One example is scrambling according to the MPEG standard, which is carried out at the level of the data packets, the pointers then not being modified by the scrambling.

What is claimed is

- 1. A process for recording, on a recording medium, a scrambled digital video stream, wherein the scrambled data of said stream are, in parallel with their recording, descrambled so as to extract therefrom additional data corresponding to information required by at least one function of the special mode or "trick mode" (fast forward, fast rewind, accelerated motion, slow motion, etc.) and wherein these additional data are also recorded on the recording medium.
- 2. A process according to claim 1, wherein said additional data are the pointers and the size of images.
- 3. A process according to claim 1, wherein said digital video stream is an MPEG stream obtained by filtering the TS (Transport Stream) headers of a multiprogramme MPEG stream, as a function of the selected programme or programmes to be recorded.
- 4. A process according to claim 1, wherein said recording medium is a hard disk or a recordable DVD.
 - 5. A recording medium containing the data of a scrambled digital video stream as well as additional data relating to the video data of the stream for the operation of the special mode or "trick mode".
 - 6. An MPEG audio video digital data stream, wherein the video data packets are scrambled with the exception of the packets containing a start of image.
 - 7. An MPEG audio video digital data stream, comprising additional data allowing the extraction of the information required by at least one function of the "trick mode", said additional data being transported in the "adaptation field" of the stream.
- 35 8. A process for coding a digital video data stream, comprising the following steps:
 - coding of the data according to the MPEG standard so as to deliver a transport stream in the form of data packets,

30

25

10

- scrambling of the data packets which do not include a start of image, the other packets not being scrambled.
- 9. A process for recording on a recording medium, a scrambled digital video stream, wherein the stream is descrambled in such a way as to extract additional data relating to the keys for enciphering this scrambled stream and in that these data are also recorded on the recording medium.
- 10. A process according to claim 9, wherein the additional data relating to the keys are the pointers of the packets in which the keys are to be found and pointers of packets to which these keys are applied.
- 11. A process according to claim 10, wherein the pointers of packets to which these keys are applied are the pointers defining the stream portions to which the keys are applied.
- 12. A process according to claim 11, wherein the pointers to the stream portions to which the keys 20 information obtained from the are are applied of value of the change concerning а "transport_scrambling_control" field of the scrambled MPEG stream.
- 13. A process according to claim 10, wherein the pointers of packets to which these keys are applied are pointers defining a stream segment to which each of the two keys of a pair of keys is applied in succession.
- 14. A process according to claim 10, wherein the enciphered keys are extracted from the stream so as to be recorded with the additional data relating to the keys.
- 15. A process according to claim 10, wherein 35 the additional data relating to the keys are the deciphered keys.
 - 16. A process according to claim 10, wherein the additional data relating to the keys are also the

15

20

deciphered keys then reciphered with another enciphering device.

- 17. A process according to claim 9, wherein the recording medium is a hard disk or a recordable DVD.
- 18. A recording medium containing the data of a scrambled digital video stream as well as additional data relating to the enciphering keys.
- 19. A process for decoding a scrambled MPEG stream recorded on a recording medium, for implementing a special mode ("trick mode"), comprising the following steps:

the reading, from the recording medium, of scrambled data of the MPEG stream,

the reading, from the recording medium, of additional data other than the scrambled data of the MPEG stream, corresponding to information relating to the enciphering keys used for the scrambling,

descrambling of the MPEG stream data read as a function of the additional data read.

- 20. A process for decoding a scrambled MPEG stream recorded on a recording medium, for implementing a special mode ("trick mode"), comprising the following steps:
- reading, from the recording medium, of additional data, other than the scrambled data of the MPEG stream, corresponding to information required by at least one function of the special mode or "trick mode" (fast forward, fast rewind, accelerated motion, slow motion, etc.),

reading, from the recording medium, of scrambled data of the MPEG stream as a function of the said additional data.

ABSTRACT

The process is characterized in that the scrambled data of the stream are, in parallel with their recording (6), descrambled (2, 3) so as to extract (4) therefrom additional data corresponding to information required by at least one function of the special mode or "trick mode" (fast forward, fast rewind, accelerated motion, slow motion, etc.) and in that these additional data are also recorded (6) on the recording medium.

Applications relate most particularly to recordings on hard disk or DVD.

15

5

10

Fig.1.




FIG. 1




FIG. 2

DECLARATION FOR UNITED STATES PATENT APPLICATION, POWER OF ATTORNEY, DESIGNATION OF CORRESPONDENCE ADDRESS

As a below named inventor, I hereby declare that my residence, post office address and citizenship are as stated below next to my name, and that I believe I am the original, first and sole inventor (if only one name is listed below) or an original, first and joint inventor (if plural names are listed below) of the subject matter which is claimed and for which a patent is sought on the invention entitled

PROCESS FOR RECORDING A SCRAMBLED MPEG STREAM

the specification of	f which			
(CHĖCK ONE)	(xx)	is attached here		
•	()	was filed on		lication Serial. No.
		and was amend	led on .	
I hereby	state th	nat I have review	red and understand t	he contents of the above identified
specification, inclu	ading the	e claims, as amen	ded by any amendme	nt referred to above.
l acknow	ledge th	ie duty to disclos	e information which is	s material to the examination of this
application in acc	ordance	with 37 CFR 1.56	i(a).	440 of any favoign application(s) for
I hereby	claim fo	oreign priority ben	netits under 35 USC	119 of any foreign application(s) for
patent, utility mod	el, desig	gn or inventor's ce	entificate naving a filing	date before that of the application(s)
on which priority i	s claime	÷d:		Priority
	D :	Causian Amaliantin	m/a)	Claimed
	Prior	Foreign Applicatio	Date Filed	Yes No
Number		Country FR	November 22, 199	
9914647		<u> </u>	November 22, 199	9
application in the	manne	r provided by the	first paragraph of 35	on is not disclosed in the prior US USC 112, I acknowledge the duty to application in accordance with 37 CFR
Serial No.:		Filed:		
statements made were made with to rimprisonment, the validity of the I hereby business in the P Dennis H. Irlbeck 27,914) Telephor Address Licensing, Inc Signature:	e on info he know or both applicat appoin atent ar (Reg. (609 all corr	ormation and belie vledge that wilful fa , under of 18 USC tion or any patent t the following a nd Trademark Offic No. 26,372), Eric) 734-9813. espondence to Jo 2- Princeton, New br: Philippe Leyend	of are believed to be tralse statements and the control of the statements and the control of the	own knowledge are true and that alue; and further that these statements le like so made are punishable by fine villful false statements may jeopardized this application and to transact aln: Joseph S. Tripoli (Reg. No. 26,040) 29,169) and Joseph J. Laks (Reg. No. 10) and Joseph J. Laks (Reg. No. 11) operations - Thomson multimedial day of Milling 1,2000.
coldonico dila i			F- 35410 Chateau	

France